Bibliography

References with an asterisk provided information, directly or indirectly, for mapping the distribution of Tasmanian eucalypts at the minimum scale of a 10 km x 10 km grid cell. Not all references with an asterisk are cited in the text.

- Adams, M.A. and Attiwill, P.M. (1988).* *Nutrient Cycling in Forests of North-eastern Tasmania*. Research Report No. 1. Tasmanian Forest Research Council, Hobart.
- Adams, M.A. and Attiwill, P.M. (1991).* Nutrient balance in forests of northern Tasmania. 1. Atmospheric inputs and within stand cycles. *Forest Ecology and Management* 44: 93–113.
- Adams, M.A. and Attiwill, P.M. (1991).* Nutrient balance in forests of northern Tasmania. 2. Alteration of nutrient availability and soil-water chemistry as a result of logging, slash-burning and fertiliser application. *Forest Ecology and Management* 44: 115–131.
- Almeida, M.H., Chaves, M.M. and Silva, J.C. (1994). Cold acclimation in eucalypt hybrids. *Tree Physiology* 14: 921–932.
- Anderson, C.A. and Ladiges, P.Y. (1982). Lime-chlorosis and the effect of fire on the growth of three seedling populations of *Eucalyptus obliqua* L'Hérit. *Australian Journal of Botany* 30: 47–66.
- Anon. (1982).* Cape Portland Wildlife Sanctuary Management Plan 1982. National Parks and Wildlife Service. Tasmania.
- Anon. (1987).* Management Plan for State Forests in the Douglas–Apsley Region. Forestry Commission, Tasmania.
- Ashton, D.H. (1958). The ecology of *Eucalyptus regnans* F. Muell.: The species and its frost resistance. *Australian Journal of Botany* 6: 154–176.
- Ashton, D.H. (1975a). The root and shoot development of *Eucalyptus regnans* F. Muell. *Australian Journal of Botany* 23: 867–887.
- Ashton, D.H. (1975b). The seasonal growth of *Eucalyptus regnans* F. Muell. *Australian Journal of Botany* 23: 239–252.
- Ashton, D.H. (1975c). Studies of the flowering behaviour in *Eucalyptus regnans* F. Muell. *Australian Journal of Botany* 23: 399–411.
- Ashton, D.H. (1976). The development of even-aged stands of *Eucalyptus regnans* F. Muell. in Central Victoria. *Australian Journal of Botany* 24: 397–414.
- Ashton, D.H. (1979). Seed harvesting by ants in forests of *Eucalyptus regnans* F. Muell. in central Victoria. *Australian Journal of Ecology* 4: 265–277.
- Ashton, D.H. (1981a). The ecology of the boundary between *Eucalyptus regnans* F. Muell. and *E. obliqua* L'Hérit. in Victoria. *Proceedings of the Ecological Society of Australia* 11: 75–94.
- Ashton, D.H. (1981b). Fire in tall open forests (wet sclerophyll forests). In: *Fire and the Australian Biota* (ed. R.H. Groves), pp. 339–365. Australian Academy of Science, Canberra.
- Ashton, D.H. (1981c). Tall open-forests. In: *Australian Vegetation* (ed. R.H. Groves), pp. 121–151. Cambridge University Press, Cambridge.
- Ashton, D.H. (1984). Artificial hybrids produced by the pollination of *Eucalyptus regnans* F. Muell. by *E. obliqua* L'Hérit. and *E. baxteri* (Benth.) Maiden and Blakely at Foster North, Victoria. *Victorian Naturalist* 101: 193–199.
- Ashton, D.H. and Sandiford, L.M. (1988). Natural hybridisation between *Eucalyptus regnans* F. Muell. and *E. macrorhyncha* F. Muell. in the Cathedral Range, Victoria. *Australian Journal of Botany* 36: 1–22.
- Ashton, D.H. and Turner, J.S. (1979). Studies on the light compensation point of *Eucalyptus regnans* F. Muell. *Australian Journal of Botany* 27: 589–607.
- Ashton, D.H. and Williams, G. (1973). The occurrence of gum-topped stringybarks in the Trentham forest. *Victorian Naturalist* 90: 90–92.
- Ashton, D.H. and Willis, E.J. (1982). Antagonisms in the regeneration of *Eucalyptus regnans* in the mature forest. In: *The Plant Community as a Working Mechanism* (ed. E.I. Newman), pp. 113–128. British Ecological Society.
- Askey-Doran, M. (1993).* *Riparian Vegetation in the Midlands and Eastern Tasmania.* Parks and Wildlife Service, Department of Environment and Land Management, Hobart.
- Askey-Doran, M., Cadman, S. and Moscal, A. (1992).* Botany. In: *Forgotten Wilderness: North West Tasmania* (ed. D.N. Harries), pp. 165–240. A report to the Australian Heritage Commission on the Heritage Values of North West Tasmania by the Tasmanian Conservation Trust.

- Attiwill, P. (1991). Productivity of *Eucalyptus regnans* forest regenerating after bushfire. In: *Intensive Forestry: The Role of Eucalypts* (ed. A.P.G. Schönau), pp. 494–504. Proceedings of the IUFRO symposium, P2.02–01 Productivity of Eucalypts, 2–6th September 1991. Southern African Institute of Forestry, Durban, South Africa.
- Attiwill, P.M. and Adams, M.A. (1987).* Forest soils and nutrient cycling, with reference to forests of northeastern Tasmania. Paper presented at a public seminar *Tasmania's Forests Beyond 2000*, 4th July 1987, Hobart
- Austin, M.P., Cunningham, R.B. and Good, R.B. (1983). Altitudinal distribution of several eucalypt species in relation to other environmental factors in southern New South Wales. *Australian Journal of Ecology* 8: 169–180.
- Austin, M.P., Nicholls, A.O. and Margules, C.R. (1990). Measurement of the realized qualitative niche: environmental niches of five *Eucalyptus* species. *Ecological Monographs* 60(2): 161–177.
- Bachelard, E.P. (1986a). Effects of soil moisture stress on the growth of seedlings of three eucalypt species. I. Seed germination. *Australian Forestry Research* 15: 103–114.
- Bachelard, E.P. (1986b). Effects of soil moisture stress on the growth of seedlings of three eucalypt species. II. Growth effects. *Australian Forestry Research* 16: 51–61.
- Baker, R.T. and Smith, H.G. (1912). A research on the eucalypts of Tasmania and their essential oils. *Proceedings of the Royal Society of Tasmania*, 1912, pp. 139–209.
- Balmer, J. (1990).* Two moorland boundaries. Tasforests 2: 134-141.
- Barber, H.N. (1954). A sterile eucalypt. Proceedings of the Royal Society of Tasmania 88: 285-287.
- Barber, H.N. (1955). Adaptive gene substitutions in Tasmanian eucalypts. I. Genes controlling the development of glaucousness. *Evolution* 9: 1–15.
- Barber, H.N. (1956). The natural history of natural selection. The Australian Journal of Science, pp. 148-159.
- Barber, H.N. (1965). Selection in natural populations. *Heredity* 20: 551–572.
- Barber, H.N. and Jackson, W.D. (1957). Natural selection in action in Eucalyptus. Nature 179: 1267–1269.
- Barker, P.C.J. (1993).* *Phyllocladus aspleniifolius* (Labill.) Hook.f. and *Anodopetalum biglandulosum* (A. Cunn.) ex Endl.: a comparative autecology of coexisting wet forest trees in Tasmania. Ph.D. thesis, University of Tasmania, Hobart.
- Barker, P.C.J. and Kirkpatrick, J.B. (1994).* *Phyllocladus aspleniifolius*: Variability in the population structure, the regeneration niche and dispersion patterns in Tasmanian forests. *Australian Journal of Botany* 42: 163–190.
- Barker, S. (1988). Population structure of snow gum (*Eucalyptus pauciflora* Sib. ex Spreng.) subalpine woodland in Kosciusko National Park. *Australian Journal of Botany* 36: 483–501.
- Battaglia, M. (1990a). *High Altitude* Eucalyptus delegatensis *Forests.* Native Forest Silviculture Technical Bulletin No. 2. Forestry Commission, Tasmania.
- Battaglia, M. (1990b). *High Altitude* Eucalyptus dalrympleana *and* Eucalyptus pauciflora *Forests*. Native Forest Silviculture Technical Bulletin No. 4. Forestry Commission, Tasmania.
- Battaglia, M. (1993a).* Modelling seed germination and survival of *Eucalyptus delegatensis*. Ph.D. thesis, University of Tasmania, Hobart.
- Battaglia, M. (1993b). Seed germination physiology of *Eucalyptus delegatensis* R.T. Baker. *Australian Journal of Botany* 41: 119–136.
- Battaglia, M. and Reid, J.B. (1993a). The effect of microsite variation on seed germination and seedling survival of *Eucalyptus delegatensis*. *Australian Journal of Botany* 41: 169–181.
- Battaglia, M. and Reid, J.B. (1993b). Ontogenetic variation in frost resistance of *Eucalyptus delegatensis* R.T. Baker. *Australian Journal of Botany* 41: 137–141.
- Battaglia, M. and Wilson, L. P. (1990).* Effect of shelterwoods on stocking and growth of regeneration in dry high altitude *Eucalyptus delegatensis* forests. *Australian Forestry* 4: 259–265.
- Battaglia, M., Beadle, C. and Loughhead, S. (1995). Photosynthesis temperature reponses of *Eucalyptus globulus* and *Eucalyptus nitens*. *Tree Physiology* 16: 81–89.
- Blake, T.J. (1976). Thermodormancy in seedlings of *Eucalyptus obliqua* L'Hérit. *Australian Journal of Plant Physiology* 3: 269.
- Blakesley, A.J. and McDonald, J. (1989). Multiple use planning for a National Estate area the Douglas—Apsley forests in Tasmania. *Proceedings of the 13th Biennial Conference of the Institute of Foresters of Australia*, pp. 47–56. Leura, NSW.
- Boland, D.J. (1985). Taxonomic revision of *Eucalyptus delegatensis* R.T. Baker (Myrtaceae). *Australian Forest Research* 15: 173–181.
- Boland, D.J. and Dunn, A.T. (1985).* Geographic variation in alpine ash (*Eucalyptus delegatensis* R.T. Baker). *Australian Forestry Research* 15: 155–171.

- Boland, D.J. and Moran, G.F. (1979).* Provenance collections of *Eucalyptus delegatensis* R.T. Baker seed in 1977–78. Forest Genetic Resources Information No. 9, pp. 36–41. FAO, Rome.
- Boland, D.J., Brooker, M.I.H., Chippendale, G.M., Hall, N., Hyland, B.P.M., Johnston, R.D., Kleinig, D.A. and Turner, J.D. (1984). Forest Trees of Australia. Nelson, CSIRO.
- Boland, D.J., Moran, G.F. and Kleinig, D.A. (1980).* Eucalyptus delegatensis R.T. Baker. Provenance seed collections 1977–1978. CSIRO Division of Forest Research Seeds Section Report No. 3. Melbourne.
- Bowden, A.R. and Kirkpatrick, J.B. (1974).* The vegetation of Rheban Spit, Tasmania. *Proceedings of the Royal Society of Tasmania* 108: 119–210.
- Bowman, D.M.J.S. (1986). Review of silvicultural systems for harvesting *Eucalyptus delegatensis* forests on dolerite plateaux in Tasmania. *Australian Forestry* 49: 63–68.
- Bowman, D.M.J.S. and Kirkpatrick, J.B. (1984). Geographic variation in the demographic structure of stands of *Eucalyptus delegatensis* R.T. Baker on dolerite in Tasmania. *Journal of Biogeography* 11: 424–437.
- Bowman, D.M.J.S. and Kirkpatrick, J.B. (1986a). Establishment, suppression and growth of *Eucalyptus delegatensis* R.T. Baker in multi-aged forests. I. The effects of fire on mortality and seedling establishment. *Australian Journal of Botany* 34: 63–72.
- Bowman, D.M.J.S. and Kirkpatrick, J.B. (1986b). Establishment, suppression and growth of *Eucalyptus delegatensis* R.T. Baker in multi-aged forests. II. Sapling growth and its environmental correlates. *Australian Journal of Botany* 34: 73–80.
- Bowman, D.M.J.S. and Kirkpatrick, J.B. (1986c). Establishment, suppression and growth of *Eucalyptus delegatensis* R.T. Baker in multi-aged forests. III. Intraspecific allelopathy, competition between adult and juvenile for moisture and nutrients, and frost damage to seedlings. *Australian Journal of Botany* 34: 81–94.
- Bowman, D.M.J.S., Maclean, A.R. and Crowden, R.K. (1986).* Vegetation–soil relations in the lowlands of south-west Tasmania. *Australian Journal of Ecology* 11: 141–153.
- Brereton, R. (1996).* The swift parrot *Lathanus discolor* in south-east Tasmania: A conservation statement. Report to the Australian Nature Conservation Agency. Parks and Wildlife Service, Tasmania.
- Brett, R.G. (1938). A survey of the *Eucalyptus* species in Tasmania. *Proceedings of the Royal Society of Tasmania* 71: 75–109.
- Briggs, J. and Leigh, J. (1988). *Rare or Threatened Australian Plants.* Special Publication 14. Australian National Parks and Wildlife Service.
- Brook, A.J. (1979). Atlas of Frogs of Tasmania. Department of Zoology, University of Tasmania.
- Brooker, M.I.H. and Lassak, E.V. (1981). The volatile leaf oils of *Eucalyptus ovata* Labill. and *E. brookerana* A.M. Gray (Myrtaceae). *Australian Journal of Botany* 29: 605–615.
- Brown, A.G., Eldridge, K.G., Green, J.W. and Matheson, A.C. (1976).* Genetic variation of *Eucalyptus obliqua* in field trials. *New Phytologist* 77: 193–203.
- Brown, A.H.D., Matheson, A.C. and Eldridge, K.G. (1975). Estimation of the mating system of *Eucalyptus obliqua* L'Hérit. by using allozyme polymorphisms. *Australian Journal of Botany* 23: 931–949.
- Brown, M.J. (1980).* The vegetation of the Mount Cameron West Aboriginal Site. *Proceedings of the Royal Society of Tasmania* 114: 21–34.
- Brown, M.J. and Bayly-Stark, H.J. (1979a).* *Vegetation of Maria Island.* Wildlife Division Technical Report No. 79/1. National Parks and Wildlife Service, Hobart.
- Brown, M.J. and Bayly-Stark, H.J. (1979b).* The plant communities of the East Risdon Nature Reserve. *Tasmanian Naturalist* 58: 1–11.
- Brown, M.J. and Buckney, R.J. (1983).* Structural and floristic variation in the forest communities of the West Tamar, Tasmania. *Proceedings of the Royal Society of Tasmania* 117: 135–147.
- Brown, M.J. and Duncan, F. (1989).* The vegetation of the Tasman Peninsula. In: *Is History Enough: Past, Present and Future of the Tasman Peninsula* (ed. S.J. Smith), pp. 33–50. Royal Society of Tasmania, Hobart.
- Brown, M.J. and Gray, A.M. (1985).* *Lomatia tasmanica*—a rare endemic plant from Tasmania's south-west. *Tasmanian Naturalist* 83: 1–5.
- Brown, M.J., Bayly-Stark, H.J., Duncan, F. and Gibson, N. (1986).* *Tetratheca gunnii* Hook.f. on serpentinite soils near Beaconsfield, Tasmania. *Proceedings of the Royal Society of Tasmania* 120: 33–38.
- Brown, M.J., Kirkpatrick, J.B. and Moscal, A. (1983).* *An Atlas of Tasmania's Endemic Flora.* Tasmanian Conservation Trust, Tasmania.
- Brown, P.B. (1986).* *The Forty-Spotted Pardalote in Tasmania*. Wildlife Division Technical Report 86/4. National Parks and Wildlife Service. Tasmania.
- Buchanan, A.M. (1995). A Census of the Vascular Plants of Tasmania and Index to 'The Student's Flora of Tasmania'. Tasmanian Herbarium Occasional Publication No. 5. Tasmanian Herbarium, Hobart.

- Burdon, J.J. and Chilvers, G.A. (1974). Leaf parasites on altitudinal populations of *Eucalyptus pauciflora* Sieb. ex Spreng. *Australian Journal of Botany* 22: 265–269.
- Bureau of Mineral Resources (1980). *Continental Shelf Sediments, Tasmania and Bass Strait, Victoria and Tasmania 1980, Scale 1:1 000 000.* Bureau of Mineral Resources, Geology and Geophysics, Canberra.
- Cauvin, B. (1983). Précautions pour l'hybridation contrôlée des *Eucalyptus*. In: *Colloque International sur les* Eucalyptus *Résistants au Froid*, pp. 509–522. AFOCEL, Bordeaux, France.
- Cauvin, B. and Potts, B.M. (1991). Selection for extreme frost resistance in *Eucalyptus*. In: *Intensive Forestry:*The Role of Eucalypts (ed. A.P.G. Schönau), pp. 209–220. Proceedings of the IUFRO symposium, P2.02–01 Productivity of Eucalypts, 2–6th September 1991. Southern African Institute of Forestry, Durban, South Africa.
- Cauvin, B., Potts, B.M. and Najar, M. (1993). Estimation de parametres genetiques de resistance au froid et de croissance pour *Eucalyptus gunnii*. *Annales de Recherches Silvicoles*, pp. 55–80. AFOCEL, Paris.
- Chambers, P. (1992). Cline in the juvenile and adult leaf characteristics of *Eucalyptus globulus* on Cape Tourville. Hons thesis, University of Tasmania, Hobart.
- Chippendale, G.M. (1988). *Eucalyptus, Angophora*. In: *Flora of Australia*, Vol. 19, Myrtaceae, pp. 1–540. Australian Government Publishing Service, Canberra.
- Chippendale, G.M. and Wolf, L.J. (1984).* EUCALIST: Computerised data retrieval system for *Eucalyptus* (Myrtaceae). *Australian Forestry Research* 14: 147–152.
- Clucas, R.D. and Ladiges, P.Y. (1979). Variations in populations of *Eucalyptus ovata* Labill., and the effects of waterlogging on seedling growth. *Australian Journal of Botany* 27: 301–315.
- Coates, F. (1991).* The Conservation Ecology and Management of Five Rare Species in the Rhamnaceae Family. Wildlife Scientific Report 91/3. Department of Parks, Wildlife and Heritage, Tasmania.
- Corbett, E. and Mackie, R. (1994). 1:25 000 vegetation maps of parts of the WHA, 1991–1994. Wildlife Division, Department of Environment and Land Management, Tasmania.
- Cremer, K.W. (1962).* Studies on the problem of regeneration of *Eucalyptus regnans* in Tasmania. A report on the work done under the second Australian Newsprint Mills Ltd. Forestry Research Fellowship, April 1962.
- Cremer, K.W. (1965a). Effects of fire on seedshed from Eucalyptus regnans. Australian Forestry 29: 252-262.
- Cremer, K.W. (1965b). How eucalypt fruits release their seed. Australian Journal of Botany 13: 11-16.
- Cremer, K.W. (1966). Dissemination of seed from Eucalyptus regnans. Australian Forestry 30: 33–37.
- Cromer, R.N., Wheelre, A.M. and Barr, N.J. (1984).* Mineral nutrition and growth of *Eucalyptus* seedlings. *New Zealand Journal of Forest Research* 14: 229–239.
- Cullen, P. (1990).* Vegetation survey of non-allocated Crown land in Tasmania. Report No. 7. Surveys of eight Crown land blocks from the Judbury–Lonnavale area, south east. Wildlife Section Internal Report, 90/1. Department of Parks, Wildlife and Heritage, Tasmania.
- Cunningham, T.M. (1957). Seed production and seed fall of *E. regnans* (F. Muell.). *Australian Forestry* 21: 28–39.
- Curtis, W.M. and Morris, D.I. (1975). *The Student's Flora of Tasmania*. Part I, 2nd edn. Government Printer, Tasmania.
- Davidson, N.J. and Reid, J.B. (1985).* Frost as a factor influencing the growth and distribution of subalpine eucalypts. *Australian Journal of Botany* 33: 657–667.
- Davidson, N.J. and Reid, J.B. (1987).* The influence of hardening and waterlogging on the frost resistance of subalpine eucalypts. *Australian Journal of Botany* 35: 91–101.
- Davidson, N.J. and Reid, J.B. (1989).* Response of eucalypt species to drought. *Australian Journal of Ecology* 14: 139–156.
- Davidson, N.J., Potts, B.M. and Reid, J.B. (1981). Eucalypts. In: *The Vegetation of Tasmania* (ed. W.D. Jackson), pp. 136–162. Australian Academy of Science. Canberra.
- Davidson, N.J., Reid, J.B. and Potts, B.M. (1987).* Gene flow between three eucalypt species at Snug Plains. *Proceedings of the Royal Society of Tasmania* 121: 101–108.
- Davies, J.B. (1988).* Land Systems of Tasmania, Region 6: South, East and Midlands. Department of Agriculture, Hobart.
- Davies, J.B. (1991).* Plant communities of Mt. Barrow and Mt. Barrow Falls. Records of the Queen Victoria Museum and Art Gallery, Launceston.
- Davies, J.B. and Davies, M. (1989).* Plant communities of the Ben Lomond Plateau. Records of the Queen Victoria Museum and Art Gallery, Launceston.
- Davies, J.L. (1974). Geomorphology and quaternary environments In: *Biogeography and Ecology in Tasmania* (ed. W.D. Williams), pp. 17–26. W. Junk, The Hague.

- Davis, C. (1940).* Preliminary survey of the vegetation near New Harbour, southwest Tasmania. *Proceedings of the Royal Society of Tasmania*, 1940, pp. 1–9.
- Dess, T.J. and Ashton, D.H. (1982). Root fusion between *Eucalyptus regnans* F. Muell. and *E. obliqua* L'Hérit. in the Cathedral Range area, Victoria. *Victorian Naturalist* 99: 224–228.
- Dickinson, K.J.M. and Kirkpatrick, J.B. (1986).* The impact of grazing pressure in clearfelled, burned and undisturbed eucalypt forest. *Vegetatio* 66: 133–136.
- Dickinson, K.J.M. and Kirkpatrick, J.B. (1987).* The short-term effects of clearfelling and slash-burning on the richness, diversity and relative abundance of higher plant species in two types of eucalypt forest on dolerite in Tasmania. *Australian Journal of Botany* 36: 601–616.
- Dingle, J. (1994). Interactive effects of salinity and waterlogging on temperate eucalypt species. Hons thesis, University of Tasmania, Hobart.
- Driessen, M.M. and Comfort, M.D. (1991).* Small mammal trapping in sedgeland at McPartlan Pass: a new location for *Mastacomys fuscus*. *Tasmanian Naturalist* 107: 1–5.
- Duncan, F. (1981).* Regeneration and species diversity in a Tasmanian dry sclerophyll forest. Paper presented at a symposium *Fire and Forest Management*, 23rd May 1981. Tasmanian Conservation Trust, Hobart.
- Duncan, F. (1983).* *Plant Communities of the Douglas River Region*. Wildlife Division Technical Report 83/3. National Parks and Wildlife Service, Tasmania.
- Duncan, F. (1986).* Vegetation Survey of Non-allocated Crown Land in Tasmania. Report No. 1. Wildlife Division Technical Report 86/2. National Parks and Wildlife Service, Tasmania.
- Duncan, F. (1989). Systematic affinities, hybridisation and clinal variation within Tasmanian eucalypts. *Tasforests* 2: 13–24.
- Duncan, F. (1996). A field key to Tasmanian species of eucalypts. Tasforests 8: 29-38.
- Duncan, F. and Brown, M.J. (1985). Dry Sclerophyll Vegetation in Tasmania. Extent and Conservation Status of the Communities. Wildlife Division Technical Report 85/1. National Parks and Wildlife Service, Tasmania.
- Duncan, F. and Duncan, D. (1984).* A dry sclerophyll woodland mosaic: vegetation of Cherry Tree Hill, near Cranbrook, Tasmania. *Records of the Queen Victoria Museum*, No. 85.
- Duncan, F. and Harris, S. (1983).* A botanical survey in the Colonel Hills, an area of sclerophyll bushland near Tooms Lake. *Tasmanian Naturalist* 75: 5–16.
- Duncan, F. and Kiernan, K. (1989).* Drought damage in a Tasmanian forest on limestone. Helictite 27: 83-86.
- Duncan, F., Duncan, D. and Ziegeler, D. (1991).* Vegetation of Buckland Military Training Area. In: Environmental Impact Assessment Buckland Military Training Area: Australian Army, 6th Military District. Vol. 2. Hepper–de Gryse Team, Hobart.
- Duncan, F., Harris, S. and Brown, M.J. (1981).* A descriptive account of the forests near Rocka Rivulet, Eastern Tiers. *Tasmanian Naturalist* 67: 4–11.
- Eldridge, K.G. (1965). An artificial hybrid Eucalyptus sieberi x E. regnans. Australian Forest Research 1: 8.
- Eldridge, K.G. (1970). Breeding system of *Eucalyptus regnans*. In: *Proceedings of IUFRO Section 22 Working Group on Sexual Reproduction of Forest Trees* (ed. The Finnish Forestry Institute). IUFRO, Varparanta, Finland.
- Eldridge, K.G. (1972). Genetic Variation in the Growth of Eucalyptus regnans from an Altitudinal Transect of Mount Erica, Victoria. Forestry and Timber Bureau, Canberra.
- Eldridge, K.G. and Griffin, A.R. (1983). Selfing effects in Eucalyptus regnans. Silvae Genetica 32: 216-221.
- Eldridge, K.G. and Griffin, A.R. (1990). Genetic improvement of *Eucalytus globulus* and *E. nitens* a review of the world scene in blue gum breeding and its relevance to China. In: *International Academic* Eucalyptus *Symposium*. Zhanjiang, China.
- Eldridge, K., Davidson, J., Harwood, C. and van Wyk, G. (1993). Eucalypt Domestication and Breeding. Clarendon Press. Oxford.
- Elliott, H., Bashford, R. and Goodwin, A. (1991). Species composition, stocking and growth of dry eucalypt forest before and after logging in eastern Tasmania. *Tasforests* 3: 76–84.
- Ellis, M.F., Sedgley, M. and Gardner, J.A. (1991). Interspecific pollen-pistil interaction in *Eucalyptus* L'Hér. (Myrtaceae): the effect of taxonomic distance. *Annals of Botany* 68: 185–194.
- Ellis, R.C. (1985).* The relationships among eucalypt forest, grassland and rainforest in a highland area in north-eastern Tasmania. *Australian Journal of Ecology* 10: 297–314.
- Ellis, R.C. and Grayley, A.M. (1983).* Gains and losses in soil nutrients associated with harvesting and burning eucalypt forest. *Plant and Soil* 74: 437–450.
- Ellis, R.C. and Grayley, A.M. (1987).* Soil chemical properties as related to forest succession in a highland area in north-east Tasmania. *Australian Journal of Ecology* 12: 307–317.

- Ellis, R.C. and Pennington, P.I. (1989).* Nitrification in soils of secondary vegetational successions from *Eucalyptus* forest and grassland to cool temperate rainforest in Tasmania. *Plant and Soil* 115: 59–73.
- Ellis, R.C., Lowry, R.K. and Davies, S.K. (1982).* The effect of regeneration burning upon the nutrient status of soil in two forest types in southern Tasmania. *Plant and Soil* 65: 171–186.
- Ellis, R.C., Ratkowsky, D.A., Mattay, J.P. and Rout, A.F. (1987).* Growth of *Eucalyptus delegatensis* following partial harvesting of multi-aged stands. *Australian Forestry* 50: 95–105.
- Ellis, R.C., Webb, D.P., Graley, A.M. and Rout, A.F. (1985).* The effect of weed competition and nitrogen nutrition on the growth of seedlings of *Eucalyptus delegatensis* in a highland area of Tasmania. *Australian Forestry Research* 15: 395–408.
- Ellis, W.F. (1973). Use of the resources: the Aborigines. In: *The Lake Country* (ed. M.R. Banks), pp. 135–140. Royal Society of Tasmania, Hobart.
- Farrow, R.A., Floyd, R.B. and Neumann, F.G. (1994). Inter-provenance variation in resistance of *Eucalyptus globulus* juvenile foliage to insect feeding. *Australian Forestry* 57: 65–68.
- Fensham, R.J. (1989). The pre-European vegetation of the Midlands: a floristic and historical analysis of vegetation patterns. *Journal of Biogeography* 16: 29–45.
- Fensham, R.J. and Kirkpatrick, J.B. (1989). The conservation of original vegetation remnants in the Midlands, Tasmania. *Proceedings of the Royal Society of Tasmania* 123: 229–246.
- Flora Advisory Committee (1994). Native Higher Plant Taxa which are Rare or Threatened in Tasmania. Species at Risk, Tasmania—Flora. Parks and Wildlife Service, Tasmania, Hobart.
- Forest Resources (1995). Forest Trees of Tasmania. 2nd edn. Forest Resources, Long Reach, Tasmania.
- Forestry Commission (1988). Very Tall Eucalypt Forests on Public Land, 1:500 000 Map. Forestry Commission, Tasmania.
- Fripp, Y.J., Griffin, A.R. and Moran, G.F. (1987). Variation in allele frequencies in the outcross pollen pool of *Eucalyptus regnans* F. Muell. throughout a flowering season. *Heredity* 59: 161–171.
- Fry, I. and Benson, J. (1986). Australia's threatened plants. In: *A Threatened Species Conservation Strategy for Australia* (eds M. Kennedy and R. Burton), pp. 19–34. Ecofund, Australia.
- Gardiner, C.A. and Crawford, D.A. (1987).* 1987 Seed collections of *Eucalyptus globulus* subsp. *globulus* for tree improvement purposes. CSIRO Division of Forest Research, Canberra.
- Gardiner, C.A. and Crawford, D.A. (1988).* 1988 Seed collections of *Eucalyptus globulus* subsp. *globulus* for tree improvement purposes. CSIRO Division of Forest Research, Canberra.
- Gaston, K.J. (1996). Species–range–size distributions: patterns, mechanisms and implications. *Trends in Ecology and Evolution* 11: 197–201.
- Gibson, A. and Bachelard, E.P. (1986a). Germination of *Eucalyptus sieberi* L. Johnson seeds. 1. Response to substrate and atmospheric moisture. *Tree Physiology* 1: 57–65.
- Gibson, A. and Bachelard, E.P. (1986b). Germination of *Eucalyptus sieberi* L. Johnson seeds. 2. Internal water relations. *Tree Physiology* 1: 67–77.
- Gibson, A. and Bachelard, E.P. (1987). Provenance variation in germination response to water stress of seeds of some eucalypt species. *Australian Forest Research* 17: 49–58.
- Gibson, A. and Bachelard, E.P. (1988). Adaptions to intermittent drying in germinating *Eucalyptus sieberi* L. Johnson seeds and young seedlings. *Tree Physiology* 4: 389–399.
- Gibson, N. and Kirkpatrick, J.B. (1989).* Effects of the cessation of grazing on the grasslands and grassy woodlands of the Central Plateau, Tasmania. *Australian Journal of Botany* 37: 55–63.
- Gibson N.J., Williams K.J., Marsden-Smedley, J.B. and Brown, M.J. (1987).* Regeneration characteristics of a swamp forest in north-western Tasmania. *Proceedings of the Royal Society of Tasmania* 121: 93–100.
- Gilbert, J.M. (1959). Forest succession in the Florentine Valley, Tasmania. *Proceedings of the Royal Society of Tasmania* 93: 129–151.
- Gilfedder, L. (1988).* Factors influencing the maintenance of an inverted *Eucalyptus coccifera* tree-line on the Mt. Wellington Plateau, Tasmania. *Australian Journal of Ecology* 13: 495–503.
- Gore, P.L. and Potts, B.M. (1995). The genetic control of flowering time in *Eucalyptus globulus, E. nitens* and their hybrids. In: *Eucalypt Plantations, improving Fibre Yield and Quality* (eds B.M. Potts, N.M.G. Borralho, J.B. Reid, R.N. Cromer, W.N. Tibbits and C.A. Raymond), pp. 241–242. Proceedings CRCTHF-IUFRO Conference, Hobart, 19–24th February, 1995. CRC for Temperate Hardwood Forestry, Hobart.
- Gore, P.L., Potts, B.M., Volker, P.W. and Megalos, J. (1990). Unilateral cross-incompatibility in *Eucalyptus*: the case of hybridisation between *E. globulus* and *E. nitens. Australian Journal of Botany* 38: 383–394.
- Gray, A.M. (1974). *Barber's Gum* Eucalyptus barberi *L. Johnson et D. Blaxell*. Forest Tree Series No. 152. Australian Government Publishing Service, Canberra.
- Gray, A.M. (1979). A new species of Eucalyptus from Tasmania. Australian Forest Research 9: 111-118.

- Green, J.W. (1969a). Taxonomic problems associated with continuous variation in *Eucalyptus pauciflora* (snow gum) (Myrtaceae). *Taxon* 18: 269–276.
- Green, J.W. (1969b). Temperature responses in altitudinal populations of *Eucalyptus pauciflora* Sieb. ex Spreng. *New Phytologist* 68: 399–410.
- Green, J.W. (1971). Variation in Eucalyptus obliqua L'Hérit. New Phytologist 70: 897-909.
- Green, R.H. (1979).* A survey of the vertebrate fauna of a heathland area between Round Hill and The Gardens, north-east Tasmania. *Records of the Queen Victoria Museum* 67: 1–11.
- Griffin, A.R. (1980). Floral phenology of a stand of mountain ash (*Eucalyptus regnans* F. Muell.) in Gippsland, Victoria. *Australian Journal of Botany* 28: 393–404.
- Griffin, A.R. (1983). A provenance testing strategy for *Eucalyptus regnans* in Australia. *Silvicultura* 32: 452–453.
- Griffin, A.R. (1993). Effect of paclobutrazol on flower-bud production and vegetative growth in two species of *Eucalyptus. Canadian Journal of Forest Research* 23: 630–647.
- Griffin, A.R. and Cotterill, P.P. (1988). Genetic variation in growth of outcrossed, selfed and open-pollinated progenies of *Eucalyptus regnans* and some implications for breeding strategy. *Silvae Genetica* 37: 124–131.
- Griffin, A.R. and Eldridge, K.G. (1980). A field trial of progeny of trees intermediate between *Eucalyptus regnans* and *E. obliqua*. *Australian Forest Research* 10: 1–8.
- Griffin, A.R. and Hand, F.C. (1979). Post-anthesis development of flowers of *Eucalyptus regnans* F. Muell. and the timing of artificial pollination. *Australian Forest Research* 9: 9–15.
- Griffin, A.R., Burgess, I.P. and Wolf, L. (1988). Patterns of natural and manipulated hybridisation in the genus *Eucalyptus* L'Hérit.—a review. *Australian Journal of Botany* 36: 41–66.
- Griffin, A.R., Moran, G.F. and Fripp, Y.J. (1987). Preferential outcrossing in *Eucalyptus regnans* F. Muell. *Australian Journal of Botany* 35: 465–475.
- Griffin, A.R., Williams, E.R. and Johnson, K.W. (1982).* Early height growth and frost hardiness of *Eucalyptus regnans* provenances in twelve field trials in south-eastern Australia. *Australian Forestry Research* 12: 263–279.
- Grose, R.J. (1963). *The Silviculture of* Eucalyptus delegatensis. *Part I. Germination and Seed Set.* Bulletin No. 2. School of Forestry, University of Melbourne.
- Hall, N. and Brooker, I. (1973). *Spinning Gum* Eucalyptus perriniana *F. Muell. ex Rodway*. Forest Tree Series No. 67. Australian Government Publishing Service, Canberra.
- Hallam, P.M. (1986).* Frost hardiness in *Eucalyptus delegatensis* R.T. Baker. M.Sc. thesis, University of Tasmania, Hobart.
- Hallam, P.M. and Reid, J.B. (1989). Seasonal and genetic variation in frost hardiness of *Eucalyptus delegatensis*. *Canadian Journal of Forest Research* 19: 480–488.
- Hallam, P.M., Reid, J.B. and Beadle, C.L. (1989). Frost hardiness of commercial *Eucalyptus* species at different elevations. *Canadian Journal of Forest Research* 19: 1235–1239.
- Hamilton, S.D., Lawrie, A.C., Hopmans, P. and Leonard, B.V. (1991). Effects of fuel reduction burning on a *Eucalyptus obliqua* forest ecosystem. *Australian Journal of Botany* 39: 203–217.
- Hand, F.C., Raymond, C.A. and Eldridge, K.G. (1989).* Establishment report 1985; *Eucalyptus regnans* field trials in northern Tasmania. CSIRO, Division of Forestry and Forest Products, Hobart, Tasmania.
- Hardner, C.M. and Potts, B.M. (1995a). Inbreeding depression and changes in variation after selfing *Eucalyptus globulus* subsp. *globulus*. *Silvae Genetica* 44: 46–54.
- Hardner, C.M. and Potts, B.M. (1995b). The influence of mortality and stand age on the estimate of genetic parameters in *Eucalyptus regnans*. In: *Eucalypt Plantations, improving Fibre Yield and Quality* (eds B.M. Potts, N.M.G. Borralho, J.B. Reid, R.N. Cromer, W.N. Tibbits and C.A. Raymond), pp. 208–211. Proceedings CRCTHF-IUFRO Conference, Hobart, 19–24th February, 1995. CRC for Temperate Hardwood Forestry, Hobart.
- Harris, S. (1987).* The vegetation of the Kentford Forest State Reserve, King Island. *Tasmanian Naturalist* 88: 1–7.
- Harris, S. and Brown, M.J. (1980).* The vegetation of Hellfire Bluff Cape Bernier, Tasmania. *Tasmanian Naturalist* 62: 1–14.
- Harris, S. and Kirkpatrick, J.B. (1982).* The vegetation of Schouten Island, Tasmania. *Proceedings of the Royal Society of Tasmania* 116: 117–135.
- Harris, T.Y. (1975). Alpine Plants of Australia. Angus and Robertson, Melbourne.
- Head, M.J. and Lacey, C.J. (1988).* Radiocarbon age determinations from lignotubers. *Australian Journal of Botany* 36: 93–100.

- Hickey, J.E. (1994).* A floristic comparison of vascular species in Tasmanian oldgrowth mixed forest with regeneration resulting from logging and wildfire. *Australian Journal of Botany* 42: 383–404.
- Higa, A.R. (1986). Frost resistance genetic variation between and within *E. viminalis* populations. In: *Proceedings of the Nineth Meeting of Representatives of the Research Working Groups No. 1 (Forest Genetics) of the Australian Forestry Council* (eds R. Griffin and P. Volker), p. 106. Somerset, Tasmania. Australian Forestry Council.
- Hill, R.S. and Read, J. (1984).* Post-fire regeneration of rainforest and mixed forest in Western Tasmania. *Australian Journal of Botany* 32: 481–493.
- Hogg, A. and Kirkpatrick, J.B. (1974).* The phytosociology and synecology of some southern Tasmanian eucalypt forests and woodlands. *Journal of Biogeography* 1: 227–245.
- Hooker, J.B. (1844). Note on the cider tree. London Journal of Botany 3: 496-501.
- Howard, R. and Ashton, D.H. (1967). Studies of soil seed in snow gum woodland (*E. pauciflora* Sieb. ex Spreng var. *alpina* (Benth.) Ewart). *Victorian Naturalist* 84: 331–335.
- Jackson, W.D. (1958). Natural hybrids in eucalypts. Part I. E. x taeniola (= E. salicifolia x E. sieberiana). Proceedings of the Royal Society of Tasmania 92: 141–146.
- Jackson, W.D. (1960). Clinal variation in *Eucalyptus vernicosa*. Part I. Taxonomic treatment. Part II. The origin of clinal variation. Ph.D. thesis, University of Tasmania, Hobart.
- Jackson, W.D. (1965). Vegetation. In: Atlas of Tasmania (ed. J. L. Davies), pp. 30–35. Mercury Press, Hobart. Jackson, W.D. (1968). Fire, air, water and earth—an elemental ecology of Tasmania. Proceedings of the Ecological Society of Australia 3: 9–16.
- Jackson, W.D. (1973). Vegetation of the Central Plateau In: The Lake Country (ed. M. R. Banks), pp. 61–86. Royal Society of Tasmania, Hobart.
- Jarman, S.J. and Crowden, R.K. (1978).* A Survey of Vegetation from the Lower Gordon River and Associated Catchments. Occasional Paper No. 12. South West Tasmania Resources Survey.
- Jarman, S.J., Brown, M.J. and Kantvilas, G. (1984). *Rainforest in Tasmania*. National Parks and Wildlife Service, Tasmania.
- Jarman, S.J., Kantvilas, G. and Brown, M.J. (1988).* A Preliminary Study of Stem Ages in Buttongrass Moorlands. Research Report No. 3. Tasmanian Forest Research Council, Hobart.
- Jarman, S.J., Kantvilas, G. and Brown, M.J. (1991). *Floristic and Ecological Studies in Tasmanian Rainforest.*Tasmanian NRCP Technical Report No. 3. Forestry Commission, Tasmanian, and Department of the Arts, Sport, the Environment, Tourism and Territories, Canberra.
- Johnson, L. and Blaxell, D. (1972). New taxa and combinations in *Eucalyptus*. I. *Contributions to the New South Wales National Herbarium* 4: 284–290.
- Jordan, G.J., Borralho, N.M.G., Tilyard, P. and Potts, B.M. (1994). Identification of races in *Eucalyptus globulus* ssp. *globulus* Labill. based on growth characteristics in Tasmania and geographic distribution. *Silvae Genetica* 43: 292–298.
- Jordan, G.J., Carpenter, R.J. and Hill, R.S. (1991).* Late Pleistocene vegetation and climate near Melaleuca Inlet, south-western Tasmania. *Australian Journal of Botany* 39: 315–333.
- Jordan, G.J., Potts, B.M., Kirkpatrick, J.B. and Gardiner, C. (1993). Variation in the *Eucalyptus globulus* complex revisited. *Australian Journal of Botany* 41: 763–785.
- Kantvilas, G. and Jarman, S.J. (1991).* Lichens and bryophytes of the Tasmanian World Heritage Area.

 1. Mount Sprent. In: *Aspects of Tasmanian Botany—A Tribute to Winifred Curtis* (eds M.R. Banks, S.J. Smith, A.E. Orchard and G. Kantvilas), pp. 149-162. Royal Society of Tasmania, Hobart.
- Keenan, R.J. and Candy, S. (1983). Growth of young *Eucalyptus delegatensis* in relation to variation in site factors. *Australian Forestry Research* 13: 197–295.
- Kiernan, K., Jones, R. and Ranson, D. (1983). New evidence from Fraser cave for glacial age man in southwest Tasmania. *Nature* 301: 28–32.
- Kirkpatrick, J.B. (1971). A probable hybrid swarm in Eucalyptus. Silvae Genetica 20: 157-159.
- Kirkpatrick, J.B. (1974).* The numerical intraspecific taxonomy of *Eucalyptus globulus* Labill. (Myrtaceae). *Botanical Journal of the Linnaean Society* 69: 89–104.
- Kirkpatrick, J.B. (1975a). *Geographical Variation in* Eucalyptus globulus. Forestry and Timber Bureau, Bulletin No. 47. Australian Government Publishing Service, Canberra.
- Kirkpatrick, J.B. (1975b). Natural distribution of Eucalyptus globulus Labill. Australian Geographer 13: 22–35.
- Kirkpatrick, J.B. (1975c).* The Cape Raoul heaths, Tasmania. Victorian Naturalist 92: 180-186.
- Kirkpatrick, J.B. (1975d).* Phytosociological analysis of the vegetation of Lagoon Beach, Tasmania. *Proceedings of the Royal Society of Tasmania* 109: 53–63.

- Kirkpatrick, J.B. (1975e).* Plant species diversity of the Lake Dora islands, Tasmania. *Proceedings of the Royal Society of Tasmania* 109: 33–38.
- Kirkpatrick, J.B. (1977).* The Disappearing Heath A Study of the Conservation of Coastal Heath in North and East Tasmania and the Furneaux Group. Tasmanian Conservation Trust, Hobart.
- Kirkpatrick, J.B. (1980).* Tasmanian high mountain vegetation. I. A reconnaissance survey of the Eastern Arthur Range and Mount Picton. *Proceedings of the Royal Society of Tasmania* 114: 1–20.
- Kirkpatrick, J.B. (1981).* A transect study of forests and woodlands on dolerite in the Eastern Tiers, Tasmania. *Vegetatio* 44: 155–163.
- Kirkpatrick, J.B. (1982). Phytogeographical analysis of Tasmanian alpine floras. *Journal of Biogeography* 9: 255–271.
- Kirkpatrick, J.B. (1984a).* Tasmanian high mountain vegetation. II. Rocky Hill and Pyramid Mountain. *Proceedings of the Royal Society of Tasmania* 118: 5–20.
- Kirkpatrick, J.B. (1984b).* Altitudinal and successional variation in the vegetation of the northern part of the West Coast Range, Tasmania. *Australian Journal of Ecology* 9: 81–91.
- Kirkpatrick, J.B. (1986).* The viability of bush in cities ten years of change in an urban grassy woodland. *Australian Journal of Botany* 34: 691–708.
- Kirkpatrick, J.B. and Backhouse, S. (1985). Native Trees of Tasmania. Revised edition. Mercury-Walch, Hobart.
- Kirkpatrick, J.B. and Balmer, J. (1991).* The vegetation and higher plant flora of the Cradle Mountain Pencil Pine area, Northern Tasmania. In: *Aspects of Tasmanian Botany—A Tribute to Winifred Curtis* (eds M.R. Banks, S.J. Smith, A.E. Orchard and G. Kantvilas), pp. 119–148. Royal Society of Tasmania, Hobart.
- Kirkpatrick, J.B. and Brown, M.J. (1991). Reservation analysis of Tasmanian forests. Forest and Timber Inquiry Consultancy Series No. FTC91/16. Resource Assessment Commission, Canberra.
- Kirkpatrick, J.B. and Cullen, P.J. (1988).* Vegetation and flora of the Anchor Creek area, northeastern Tasmania. Consultants report to John Miedecke and Partners Pty. Ltd. for Anchor Mine Environmental Management Plan.
- Kirkpatrick, J.B. and Dickinson, K. (1984). *Vegetation Map of Tasmania, 1:500 000.* Forestry Commission, Tasmania.
- Kirkpatrick, J.B. and Duncan, F. (1987).* Tasmanian high altitude grassy vegetation: its distribution, community composition and conservation status. *Australian Journal of Botany* 12: 73–86.
- Kirkpatrick, J.B. and Harwood, C.E. (1980).* Vegetation of an infrequently burned Tasmanian mountain region. *Proceedings of the Royal Society of Victoria* 91: 79–107.
- Kirkpatrick, J.B. and Marks, F. (1985).* Observation of drought damage to some native plant species in eucalypt forests and woodlands near Hobart, Tasmania. *Proceedings of the Royal Society of Tasmania* 119: 15–21.
- Kirkpatrick, J.B. and Nunez, M. (1980).* Vegetation–radiation relationships in mountainous terrain: eucalypt-dominated vegetation in the Risdon Hills, Tasmania. *Journal of Biogeography* 7: 197–208.
- Kirkpatrick, J.B. and Potts, B.M. (1987).* Isolated intermediates—products of long distance gene dispersal, phantom hybrids or convergent evolution? The case of the half-barked *Eucalyptus amygdalina*. *Proceedings of the Royal Society of Tasmania* 121: 15–22.
- Kirkpatrick, J.B. and Wells, J.M. (1987).* The vegetation of the Great Northern Plain, northeastern Tasmania. *Proceedings of the Royal Society of Tasmania* 121: 43–52.
- Kirkpatrick, J.B. and Whinam, J. (1988).* Tasmanian high mountain vegetation. III. Lake Ewart, Dome Hill and Eldon Bluff. *Proceedings of the Royal Society of Tasmania* 122: 145–163.
- Kirkpatrick, J.B., Barker, P., Brown, M.J., Harris, S. and Mackie, R. (1994). *Reservation Status of Tasmanian Vascular Plant Communities*. A report to the Australian Heritage Commission from the Tasmanian Conservation Trust.
- Kirkpatrick, J.B., Gilfedder, L., Duncan, F. and Harris, S. (1991a). Reservation status and priorities for Tasmanian plants. I. Angiospermae (Dicotyledonae). In: *Aspects of Tasmanian Botany—A Tribute to Winifred Curtis* (eds M.R. Banks, S.J. Smith, A.E. Orchard and G. Kantvilas), pp. 163–172. Royal Society of Tasmania, Hobart.
- Kirkpatrick, J.B., Gilfedder, L. and Fensham, R. (1988a).* City Parks and Cemeteries—Tasmania's Remnant Grasslands and Grassy Woodlands. Tasmanian Conservation Trust, Hobart.
- Kirkpatrick, J.B., Gilfedder, L., Hickie, J. and Harris, S. (1991b). *Reservation and Conservation Status of Tasmanian Native Higher Plants*. Wildlife Division Scientific Report No. 91/2. Department of Parks, Wildlife and Heritage, Tasmania.
- Kirkpatrick, J.B., Peacock, R.J., Cullen, P.J. and Neyland, M.G. (1988b).* *The Wet Eucalypt Forests of Tasmania.* Tasmanian Conservation Trust, Hobart.

- Kirkpatrick, J.B., Simmons, D. and Parsons, R.F. (1973). The relationship of some populations involving *Eucalyptus cypellocarpa* and *E. globulus* to the problem of phantom hybrids. *New Phytologist* 72: 867–876.
- Kitchener, A.E. (1985).* Hybridization in *Eucalyptus* at Cape Deslacs. Hons thesis, University of Tasmania, Hobart.
- Ladiges, P.Y. (1974a). Differentiation in some populations of *Eucalyptus viminalis* Labill. in relation to factors affecting seedling establishment. *Australian Journal of Botany* 22: 471–487.
- Ladiges, P.Y. (1974b). Variation in drought tolerance in *Eucalyptus viminalis* Labill. *Australian Journal of Botany* 22: 489–500.
- Ladiges, P.Y. (1977). Differential susceptibility of two populations of *Eucalyptus viminalis* Labill. to iron chlorosis. *Plant and Soil* 48: 581–597.
- Ladiges, P.Y. and Ashton, D.H. (1974). Variation in some central Victorian populations of *Eucalyptus viminalis* Labill. *Australian Journal of Botany* 22: 81–102.
- Ladiges, P.Y. and Ashton, D.H. (1977). A comparison of some populations of *Eucalyptus viminalis* Labill. growing on calcareous and acid soils in Victoria, Australia. *Australian Journal of Ecology* 2: 161–178.
- Ladiges, P.Y., Dale, M.B., Ross, D.R. and Shields, K.G. (1984). Seedling characters and phylogenetic relationships in the informal series *Ovatae* of *Eucalyptus*, subgenus *Symphyomyrtus*. *Australian Journal of Botany* 32: 1–13.
- Ladiges, P.Y., Gray, A.M. and Brooker, M.I.H. (1981). Pattern of geographic variation, based on seedling morphology, in *Eucalyptus ovata* Labill. and *E. brookerana* A.M. Gray and comparisons with some other *Eucalyptus* species. *Australian Journal of Botany* 29: 593–603.
- Ladiges, P.Y., Humphries, C.J. and Brooker, M.I.H. (1983). Cladistic relationships and biogeographical patterns in the peppermint group of *Eucalyptus* (informal subseries *Amygdalinae*, subgenus *Monocalyptus*) and the description of a new species, *E. willisii*. *Australian Journal of Botany* 31: 565–584.
- Lambert, M.J. and Turner, J. (1983). Soil nutrient-vegetation relationships in the Eden area, NSW. III. Foliage nutrient relationships with particular reference to *Eucalyptus* subgenera. *Australian Forestry* 46: 200–209.
- Lawrence, P.R. (1978). Continuous Forest Inventory in Tasmania. IUFRO Conference, National Forest Inventory, Bucharest, Roumania.
- Li, H., Madden, J. and Potts, B.M. (1995).* Variation in volatile leaf oils of the Tasmanian *Eucalyptus* species.

 1. Subgenus *Monocalyptus*. *Biochemical Systematics and Ecology* 23: 299–318.
- Li, H., Madden, J. and Potts, B.M. (1996).* Variation in volatile leaf oils of the Tasmanian *Eucalyptus* species. 2. Subgenus *Symphyomyrtus*. *Biochemical Systematics and Ecology* 24: (in press).
- Lockett, E.J. and Candy, S.G. (1984).* Growth of eucalypt regeneration established without slash burns in Tasmania. *Australian Forestry* 47: 119–125.
- Macphail, M.K. (1979). Vegetation and climates in southern Tasmania since the last glaciation. *Quaternary Research* 11: 306–341.
- Macphail, M.K. and Shepherd, R.R. (1973).* Plant communities of Lake Edgar. Supplement to the Bulletin of the Tasmanian Field Naturalists Club 34: 1–23.
- Maiden, J.H. (1901). On Eucalyptus gunnii Hook.f. Proceedings of the Linnean Society of New South Wales 16: 561–588.
- Maiden, J.H. (1918). Notes on Tasmanian eucalypts. *Proceedings of the Royal Society of Tasmania*, 1917, pp. 82–90.
- Maiden, J.H. (1933). A Critical Revision of the Genus Eucalyptus. Vol. 8. Government Printer, Sydney. Marginson, J.C. and Ladiges, P.Y. (1982). Morphological and geographical disjunctions in forms of Eucalyptus nitida Hook.f. (Myrtaceae): with special reference to the evolutionary significance of Bass Strait, Southeastern Australia. Proceedings of the Royal Society of Victoria 94: 155–167.
- Marien, J.N. (1979). La sélection juvénile des eucalyptus pour les résistance au froids. *Annales de Recherches Sylvicoles*, pp. 225–252. Association Forêt-Cellulose, Paris.
- Marsden-Smedley, J.B. (1990).* The ecology of moorland-copse boundaries in southwest Tasmanian oligotrophic environments. Hons thesis, University of Tasmania, Hobart.
- Marsden-Smedley, J.B. (1993).* Fire Behaviour and Fuel Characteristics in Tasmanian Buttongrass Moorlands. Parks and Wildlife Service, Department of Environment and Land Management, Tasmania.
- Martin, H.A. and Specht, R.L. (1962). Are mesic communities less drought-resistant? A study on moisture relationships in dry sclerophyll forest at Inglewood, South Australia. *Australian Journal of Botany* 10: 106–118.
- Matheson, A.C., Turner, C.H. and Dean, G.H. (1986).* Genetic variation in the pulp qualities of *Eucalyptus obliqua* L'Hérit. *Appita* 39: 205–212.

- McAulay, A.L. (1937). Evidence for the existence of a natural hybrid between *Eucalyptus globulus* and *Eucalyptus ovata*. *Proceedings of the Royal Society of Tasmania* 71: 45–46.
- McEntee, A.C., Potts, B.M. and Reid, J.B. (1994).* Variation in *Eucalyptus barberi* L. Johnson & Blaxell. *Proceedings of the Royal Society of Tasmania* 128: 21–30.
- Mendel, L. (1991).* Vegetation survey of non-allocated Crown land in Tasmania. Report No. 8. Surveys of twelve Crown land blocks from eastern Tasmania. Department of Parks, Wildlife and Heritage, Tasmania
- Metcalfe, J.C., Davies, W.J. and Pereira, J.S. (1991). Control of growth of juvenile leaves of *Eucalyptus globulus*: effects of age. *Tree Physiology* 9: 491–500.
- Moran, G.F. (1992). Patterns of genetic diversity in Australian tree species. New Forests 6: 49-66.
- Moran, G.F. and Brown, A.H.D. (1980). Temporal heterogeneity of outcrossing rates in alpine ash (*Eucalyptus delegatensis* R.T. Baker). *Theoretical and Applied Genetics* 57: 101–105.
- Moran, G.F. and Hopper, S.D. (1987). Conservation of the genetic resources of rare and widespread eucalypts in remnant vegetation. In: *Nature Conservation: The Role of Remnants of Native Vegetation* (eds D.A. Saunders, G.W. Arnold, A.A. Burbidge and A.J.M. Hopkins), pp. 151–162. Surrey Beatty and Sons.
- Moran, G.F., Bell, J.C. and Griffin, A.R. (1989). Reduction in levels of inbreeding in a seed orchard of *Eucalyptus regnans* F. Muell. compared with natural populations. *Silvae Genetica* 38: 32–36.
- Moran, G.F., Bell, J.C. and Prober, S. (1990). The utility of isozymes in the systematics of some Australian tree groups. *Australian Systematic Botany* 3: 47–57.
- Moran, G.F., Forrester, R.I. and Rout, A.F. (1990). Early growth of *Eucalyptus delegatensis* provenances in four field trials in south-eastern Australia. *New Zealand Journal of Forest Science* 20: 148–161.
- Moscal, A.M. and Bratt, G.C. (1977).* Towards a flora of Maatsuyker Island. Part 1. Introduction and vascular plants. *Tasmanian Naturalist* 51: 14–18.
- Neilson, W. and Pataczeck, W. (1991). Effect of simulated browsing on survival and growth of *Eucalyptus nitens* and *E. regnans* seedlings. *Tasforests* 3: 41–46.
- Nesbitt, K.A., Potts, B.M., Vaillancourt, R.E., West, A.K. and Reid, J.B. (1995). Partitioning and distribution of RAPD variation in a forest tree species, *Eucalyptus globulus* (Myrtaceae). *Heredity* 74: 628–637.
- Neyland, M. (1986). *Conservation and Management of Tree Ferns in Tasmania*. Wildlife Division Technical Report No. 86/1. National Parks and Wildlife Service, Hobart.
- Neyland, M. (1988a).* Vegetation survey of non-allocated Crown land in Tasmania. Report No. 2. Surveys of twenty-two Crown land blocks from the far North-West. Wildlife Section Internal Report 88/1. Department of Lands, Parks and Wildlife, Tasmania.
- Neyland, M. (1988b).* Vegetation survey of non-allocated Crown land in Tasmania. Report No. 5. Survey of eight Crown land blocks from Bruny Island. Wildlife Section Internal Report 88/4. Department of Lands, Parks and Wildlife, Tasmania.
- Neyland, M. (1992).* The Ptunarra brown butterfly, *Oreixenica ptunarra*: Conservation Research Statement. Prepared for Australian National Parks and Wildlife Service Endangered Species Program, Project No. 3.
- Neyland, M. and Askey-Doran, M. (1994).* Effects of repeated fires on dry sclerophyll (*E. sieberi*) forests in eastern Tasmania. In: *Biodiversity and Fire: The Effects and Effectiveness of Fire Management.* Victorian University of Technology, Footscray, Melbourne, 8–9th October 1994. Victorian National Parks Association.
- Neyland, M. and Duncan F. (1988a).* Vegetation survey of non-allocated Crown land in Tasmania. Report No. 3. Surveys of twelve Crown land blocks from the Channel Region. Wildlife Section Internal Report 88/3. Department of Lands, Parks and Wildlife, Tasmania.
- Neyland, M. and Duncan F. (1988b).* Vegetation survey of non-allocated Crown land in Tasmania. Report No. 4. Surveys of nine Crown land blocks from the Tasman and Forestier Peninsulas. Wildlife Section Internal Report 88/3. Department of Lands, Parks and Wildlife, Tasmania.
- Nicholls, J.W.P. and Matheson, A.C. (1980).* Variation in wood characteristics in thinnings from a field trial of *Eucalyptus obliqua*. *Australian Forestry Research* 10: 239–247.
- Noble, I.R. (1984). Mortality of lignotuberous seedlings of *Eucalyptus* species after an intense fire in montane forest. *Australian Journal of Ecology* 9: 47–50.
- Nunez, M. and Bowman, D.M.J.S. (1984).* Radiation and temperature in a high altitude stand of *Eucalyptus delegatensis* as related to levels of density. In: *Current Research in Tasmanian High Altitude Eucalypt Forests* (ed. R. J. Keenan), pp. 56–79. Proceedings of a seminar held at the University of Tasmania, 19th March, 1984. Department of Geography, University of Tasmania, Hobart.
- Nunez, M. and Bowman, D.M.J.S. (1986). Nocturnal cooling in a high altitude stand of *Eucalyptus delegatensis* as related to stand density. *Australian Forestry Research* 16: 185–197.

- Ogden, J. and Powell, J.A. (1979).* A quantitative description of the forest vegetation on an altitudinal gradient in the Mount Field National Park, Tasmania, and a discussion of its history and dynamics. *Australian Journal of Ecology* 4: 293–325.
- Ohmart, C.P., Thomas, J.R. and Stewart, L.G. (1984). Differential defoliation by insects among provenances of *Eucalyptus delegatensis*. *Journal of the Australian Entomological Society* 23: 105–111.
- Orme, R.K. (1983a). Natural variation in *Eucalyptus gunnii* Hook.f. In: *Colloque International sur les* Eucalyptus *Résistants au Froid*, pp. 63–80. AFOCEL, Bordeaux, France.
- Orme, R.K. (1983b). Progress with Eucalyptus globulus provenance research. Silvicultura 31: 483-486.
- Orr, S. and Manson, A. (1994). Rainforest Database Project. Report to the National Rainforest Conservation Program. Forestry Tasmania, Hobart.
- Pannell, J.R. (1992). Swamp Forests of Tasmania. Forestry Commission, Tasmania.
- Parsons, R.F. (1986). Disjunctions in the distribution of *Eucalyptus* species between western Victoria and the Mount Lofty Flinders Ranges area, South Australia. *Proceedings of the Royal Society of Victoria* 86: 29–34.
- Paton, D.M. (1972). Frost resistance in *Eucalyptus*. A new method for assessment of frost injury in altitudinal provenances of *Eucalyptus viminalis*. *Australian Journal of Botany* 20: 127–139.
- Paton, D.M. (1978). Eucalyptus physiology. I. Photoperiod responses. Australian Journal of Botany 26: 633-642.
- Paton, D.M. (1980). Eucalyptus physiology. II. Temperature responses. Australian Journal of Botany 28: 555-556.
- Paton, D.M. (1981). Eucalyptus physiology. III. Frost resistance. Australian Journal of Botany 29: 675-688.
- Pederick, L.A. (1960). Some seed collection data from adjacent trees of *Eucalyptus obliqua* L'Hér. *Forestry Technical Papers* 5: 19–24.
- Pederick, L.A. (1976). Genetic variation in the growth rate of young *Eucalyptus regnans. Forestry Technical Papers* 24: 5–10.
- Pederick, L.A. (1990). *Genetic Variation in the Victorian Ash-type Eucalypt Forests.* Research Report No. 344. Department of Conservation and Environment, Lands and Forests Division.
- Pemberton, M. (1986). Land Systems of Tasmania, Region 5. Department of Agriculture, Tasmania.
- Pemberton, M. (1991).* Land Systems of Tasmania, Region 7: South West. Department of Agriculture, Tasmania.
- Peters, D. (1983). TASFORHAB. In: *Survey Methods for Nature Conservation* (eds K. Myers, C.R. Margules and I. Musto). Proceedings of a workshop, Adelaide, September 1983. CSIRO Division of Water and Land Resources.
- Phillips, M.A. and Brown, A.H.D. (1977). Mating system and hybridity in *Eucalyptus pauciflora. Australian Journal of Biological Science* 30: 337–344.
- Phillips, R.L. and Reid, J.B. (1980).* Clinal variation between *Eucalyptus viminalis* Labill. and *E. dalrympleana* Maiden. *Australian Journal of Botany* 28: 329–342.
- Pinkard, G.J. (1980). Land Systems of Tasmania, Region 4. Department of Agriculture, Tasmania.
- Pinkard, G.J. and Richley, L.R. (1984). *Land Systems of Tasmania, Region 2.* Department of Agriculture, Tasmania.
- Podger, F.D., Bird, T. and Brown, M.J. (1988).* Human activity, fire and change in the forest at Hogsback Plain, Southern Tasmania. In: *Australia's Everchanging Forests* (eds K.J. Frawley and N.M. Semple), pp. 119–140. Proceedings of the first National Conference on Australian Forest History, 9–11th May 1988, Canberra. Special Publication No. 1. Department of Geography and Oceanography, Australian Defence Force Academy, ACT.
- Podger, F.D., Kile, G.A., Bird, T., Turnbull, C.R.A. and McLeod, D.E. (1980). An unexplained decline in some forests of *Eucalyptus obliqua* and *E. regnans* in southern Tasmania. *Australian Forest Research* 10: 53–70.
- Potts, B.M. (1984).* Variation in the *Eucalyptus gunnii–archeri* complex on the Central Plateau, Tasmania. In: *Current Research in Tasmanian High Altitude Eucalypt Forests* (ed. R. J. Keenan), pp. 24–43. Proceedings of a seminar held at the University of Tasmania, 19th March, 1984. Department of Geography, University of Tasmania, Hobart.
- Potts, B.M. (1985).* Variation in the *Eucalyptus gunnii–archeri* complex. III. Reciprocal transplant trials. *Australian Journal of Botany* 33: 687–704.
- Potts, B.M. (1986).* The population dynamics and regeneration of a hybrid zone between *Eucalyptus risdonii* and *E. amygdalina*. *Australian Journal of Botany* 34: 305–329.
- Potts, B.M. (1987). Progress with eucalypt hybridization and pollination studies. *Research Working Group One of the Australian Forestry Council, Forest Genetics, Newsletter* 1: 2–5.
- Potts, B.M. (1988).* The distribution and type locality of *Eucalyptus cordata* Labill.—an historical account. *Proceedings of the Royal Society of Tasmania* 122 (2): 31–38.
- Potts, B.M. (1989).* *Population Variation and Conservation Status of a Rare Tasmanian Endemic* Eucalyptus cordata. Research Report No. 4. Tasmanian Forest Research Council, Hobart.

- Potts, B.M. (1990a). The response of eucalypt populations to a changing environment. *Tasforests* 2: 179–193.
- Potts, B.M. (1990b). Short note. A rare dwarf mutant of Eucalyptus gunnii. Silvae Genetica 39: 84–86.
- Potts, B.M. and Jackson, W.D. (1986). Evolutionary processes in the Tasmanian high altitude eucalypts In: *Flora and Fauna of Alpine Australasia. Ages and Origins* (ed. B.A. Barlow), pp. 511–527. CSIRO, Melbourne.
- Potts, B.M. and Jordan, G.J. (1994a). Spatial pattern and scale of variation in *Eucalyptus globulus* Labill. ssp. *globulus*: variation in seedling abnormalities and early growth. *Australian Journal of Botany* 42: 471–492.
- Potts, B.M. and Jordan, G.J. (1994b). Genetic variation in the juvenile leaf morphology of *Eucalyptus globulus* Labill. ssp. *globulus*. *Forest Genetics* 1: 81–95.
- Potts, B.M. and Marsden-Smedley, J.B. (1989). In vitro germination of *Eucalyptus* pollen: response to variation in boric acid and sucrose. *Australian Journal Botany* 37: 429–441.
- Potts, B.M. and Reid, J.B. (1983).* Hybridisation between *Eucalyptus obliqua* L'Hérit. and *E. pulchella* Desf. *Australian Journal of Botany* 31: 211–229.
- Potts, B.M. and Reid, J.B. (1985a).* Variation in the *Eucalyptus gunnii–archerii* complex. 1. Variation in the adult phenoype. *Australian Journal of Botany* 33: 337–359.
- Potts, B.M. and Reid, J.B. (1985b).* Variation in the *Eucalyptus gunnii–archerii* complex. 11. The origin of variation. *Australian Journal of Botany* 33: 519–541.
- Potts, B.M. and Reid, J.B. (1985c).* Analysis of a hybrid swarm between *Eucalyptus risdonii* Hook.f. and *E. amygdalina* Labill. *Australian Journal of Botany* 33: 543–562.
- Potts, B.M. and Reid, J.B. (1988). Hybridisation as a dispersal mechanism. Evolution 42: 1245-1255.
- Potts, B.M. and Reid, J.B. (1990). The evolutionary significance of hybridization in *Eucalyptus. Evolution* 44: 2151–2152.
- Potts, B.M. and Savva, M. (1989). The crossability of *Eucalyptus globulus*. In: *Breeding Tropical Trees:*Population Structure and Genetic Improvement Strategies in Clonal and Seedling Forestry (eds G.L. Gibson, A.R. Griffin and A.C. Matheson), pp. 420–422. Proceedings of the IUFRO conference, Pattaya, Thailand, November 1988. Oxford Forestry Institute and Winrock International, Oxford, United Kingdom and Arlington, Virginia, USA.
- Potts, B.M. and Tibbits, W.N. (1991). Inheritance of freezing resistance in interspecific F1 hybrids of *Eucalyptus*. In: *Proceedings of the 11th Meeting of the Research Working Group One of the Australian Forestry Council*. Coonawarra, South Australia.
- Potts, B.M., Potts, W.C. and Cauvin, B. (1987). Inbreeding and interspecific hybridisation in *Eucalyptus gunnii*. Silvae Genetica 36: 194–198.
- Potts, B.M., Volker, P.W. and Dungey, H.S. (1992). Barriers to the production of hybrids in *Eucalyptus*. In: *Mass Production Technology for Genetically Improved Fast Growing Forest Tree Species*, pp. 193–204. AFOCEL–IUFRO Symposium 1992, Bordeaux. Association Forêt-Cellulose, Nangis, France.
- Pryor, L.D. (1957). Variation in snow gum (Eucalyptus pauciflora Sieb.). Proceedings of the Linnean Society of New South Wales 81: 299–305.
- Pryor, L.D. and Briggs, J.D. (1981). *Australian Endangered Species: Eucalypts*. Australian National Parks and Wildlife Service, Canberra.
- Pryor, L.D. and Dadswell, H.E. (1964). Wood characters of the F1 hybrid, *Eucalyptus rubida* x *Eucalyptus maideni*. *Australian Journal of Botany* 12: 39–45.
- Pryor, L.D. and Johnson, L.A.S. (1971). *A Classification of the Eucalypts*. Australian National University Press, Canberra.
- Pryor, L.D. and Johnson, L.A.S. (1981). *Eucalyptus*, the universal Australian In: *Ecological Biogeography of Australia* (ed. A. Keast), pp. 499–536. W. Junk, The Hague.
- Pyrke, A.F. and Kirkpatrick, J.B. (1994). * Growth rate and basal area response curves of four *Eucalyptus* species on Mt. Wellington, Tasmania. *Journal of Vegetation Science* 5: 13–24.
- Rabinowitz, D. (1981). Seven forms of rarity. In: *The Biological Aspects of Rare Plant Conservation* (ed. H. Synge), pp. 205–217. Wiley, Australia.
- Ratkowsky, D.A. and Ratkowsky, A.V. (1976).* Changes in the abundance of vascular plants of the Mount Wellington Ranges, Tasmania, following a severe fire. *Proceedings of the Royal Society of Tasmania* 110: 63–90.
- Ratkowsky, D.A. and Ratkowsky, A.V. (1977).* Plant communities of the Mount Wellington Range, Tasmania. *Australian Journal of Ecology* 2: 435–445.
- Ratkowsky, D.A. and Ratkowsky, A.V. (1982).* Some noticeable changes in the vegetation of Mount Wellington since the 1967 bushfire. *Tasmanian Naturalist* 70: 2–5.
- Ratkowsky, A., Ratkowsky, D. and Kantvilas, G. (1993a).* Plants of the Carr Villa Cemetery, Launceston. *The Tasmanian Naturalist* 113: 1–6.

- Ratkowsky, A., Ratkowsky, D. and Kantvilas, G. (1993b).* The plants of the Trevallyn State Recreation area, Tasmania. *Proceedings of the Royal Society of Tasmania* 127: 49–54.
- Ratkowsky, A., Ratkowsky, D. and Kantvilas, G. (1993c).* The plants of Hummocky Hills, Northern Tasmania. *The Tasmanian Naturalist* 115: 1–11.
- Raymond, C.A. (1994).* *Provenance Variation in the CSRIO* Eucalyptus delegatensis *Trials at age 6 and 12.* Users Series Report No. 14. CSIRO Division of Forestry, Hobart.
- Raymond, C.A. and Volker, P. (1993).* *Provenance Variation in Eucalyptus regnans.* Users Series Report No. 9. CSIRO Division of Forestry, Hobart.
- Rhizopoulou, S. and Davies, W.J. (1993). Leaf and root growth dynamics in *Eucalyptus globulus* seedlings grown in drying soils. *Trees* 8: 1–8.
- Richley, L.R. (1978). Land Systems of Tasmania, Region 3. Department of Agriculture, Tasmania.
- Richley, L.R. (1984). Land Systems of Tasmania, Region 1. Department of Agriculture, Tasmania.
- Rook, D.A., Wilcox, M.D., Holden, D.G. and Warrington, I.J. (1980).* Provenance variation in frost tolerance of *Eucalyptus regnans* F. Muell. *Australian Forest Research* 10: 213–238.
- Rozefelds, A. (1996). Eucalyptus phylogeny and history: a brief summary. Tasforests 8: 15-26.
- Rule, K. (1994). Three new endemic subspecies of snow gum for Victoria and notes on the taxonomy of the informal subspecies *pauciflora* L.D. Pryor and L.A.S. Johnson. *Muelleria* 8(2): 223–233.
- Savva, M., Potts, B.M. and Reid, J.B. (1988). The breeding system and gene flow in *Eucalyptus urnigera*. In: *Pollination '88'* (eds R.B. Knox, M.B. Sing and L.F. Troiani), pp. 176–182. Plant Cell Biology Research Centre, University of Melbourne.
- Scarascia-Mugnozza, G., Valentini, R., Kuzminski, E. and Giordano, E. (1989). Freezing mechanisms, acclimation processes and cold injury in *Eucalyptus* species planted in the mediterranean region. *Forest Ecology and Management* 29: 81–94.
- Sedgley, M., Hand, F.C., Smith, R.M. and Griffin, A.R. (1989). Pollen tube growth and early seed development in *Eucalyptus regnans* F. Muell. (Myrtaceae) in relation to ovule structure and preferential outcrossing. *Australian Journal of Botany* 37: 397–411.
- Shapcott, A. (1991).* Studies in the Population Biology and Genetic Variation of Huon Pine (Lagarostrobos franklinii). Tasmanian NRCP Report No. 4. Department of Parks, Wildlife and Heritage and the Department of the Arts, Sport, the Environment, Tourism and Territories, Canberra.
- Shapcott, A. (1993).* The Population Genetics of *Atherosperma moschatum* (Sassafras) Labill.

 Tasmanian NRCP Report No. 12. Department of Environment and Land Management (Parks and Wildlife Service) and the Department of the Arts, Sport, the Environment and Territories,

 Canberra
- Shaw, M.J., Potts, B.M. and Reid, J.B. (1984).* Variation within and between *Eucalyptus nitida* Hook.f. and *Eucalyptus coccifera* Hook.f. *Australian Journal of Botany* 32: 641–654.
- Sheppard, D. (1979).* Management Plan for the Spinning Gum (*E. perriniana*) Forest Reserve. Forestry Commission. Hobart.
- Sinclair, R. (1980). Water potential and stomatal conductance of three *Eucalyptus* species in the Mount Lofty Ranges, South Australia: Responses to summer drought. *Australian Journal of Botany* 28: 499–510.
- Slater, J. (1988).* Vegetation survey of non-allocated Crown land in Tasmania. Report No. 6. Surveys of six Crown land blocks on the Central Plateau. Wildlife Section Internal Report 88/5. Department of Parks, Wildlife and Heritage, Tasmania.
- Slatyer, R.O. (1977a). Altitudinal variation in the photosynthetic characteristics of *Eucalyptus pauciflora* Sieb. ex Spreng. III. Temperature response of material grown in contrasting thermal environments. *Australian Journal of Plant Physiology* 4: 301–312.
- Slatyer, R.O. (1977b). Altitudinal variation in the photosynthetic characteristics of *Eucalyptus pauciflora* Sieb. ex Spreng. IV. Temperature response of four populations grown at different temperatures. *Australian Journal of Plant Physiology* 4: 583–594.
- Slatyer, R.O. (1977c). Altitudinal variation in the photosythetic characteristics of *Eucalyptus pauciflora* Sieb. ex Spreng. VI. Comparison of field and phytotron responses to growth temperature. *Australian Journal of Plant Physiology* 4: 901–916.
- Slatyer, R.O. and Ferrar, P.A. (1977). Altitudinal variation in the photosynthetic characteristics of *Eucalyptus* pauciflora Sieb. ex Spreng. V. Rate of acclimation to an altered environment. *Australian Journal of Plant Physiology* 4: 595–609.
- Slatyer, R.O. and Morrow, P.A. (1977). Altitudinal variation in the photosynthetic characteristics of snow gum, *Eucalyptus pauciflora* Sieb. ex Spreng. I. Seasonal changes under field conditions in the Snowy Mountains area of south-eastern Australia. *Australian Journal of Botany* 25: 1–10.

- Steane, D.A., West, A.K., Potts, B.M., Ovenden, J.M. and Reid, J.B. (1991). Restriction fragment length polymorphisms in chloroplast DNA from six species of *Eucalyptus*. *Australian Journal of Botany* 39: 399–414.
- Thomas, D.A. and Barber, H.N. (1974a). Studies on leaf characteristics of a cline of *Eucalyptus urnigera* from Mt. Wellington, Tasmania. I. Water repellancy and the freezing of leaves. *Australian Journal of Botany* 22: 501–512.
- Thomas, D.A. and Barber, H.N. (1974b). Studies on leaf characteristics of a cline of *Eucalyptus urnigera* from Mt. Wellington, Tasmania. II. Reflection, transmission and absorption of radiation. *Australian Journal of Botany* 22: 701–707.
- Thomas, D.G. (1979). *Tasmanian Bird Atlas*. Fauna of Tasmania Handbook No. 2. Department of Zoology, University of Tasmania, Hobart.
- Tibbits, W.N. (1986a).* Frost resistance in *Eucalyptus nitens* (Deane & Maiden) Maiden. Ph.D. thesis, University of Tasmania, Hobart.
- Tibbits, W.N. (1986b). Eucalypt plantations in Tasmania. Australian Forestry 49: 219–225.
- Tibbits, W.N., Potts, B.M. and Savva, M.H. (1991). Inheritance of freezing resistance in interspecific F1 hybrids of *Eucalyptus*. *Theoretical and Applied Genetics*. 83: 126–135.
- Turnball, C.R.A. and Madden, J.L. (1986).* Litter accession, accumulation and decomposition in cool temperate forests of southern Tasmania. *Australian Forestry Research* 16: 145–153.
- Valentini, R., Mugnozza, G.S., Giordano, E. and Kuzminski, E. (1990). Influence of cold hardening on water relations of three *Eucalyptus* species. *Tree Physiology* 6: 1–10.
- Volker, P.W. and Orme, R.K. (1988).* Provenance trials of *Eucalyptus globulus* and related species in Tasmania. *Australian Forestry* 51: 257–265.
- Volker, P.W., Dean, C.A., Tibbits, W.N. and Ravenwood, I.C. (1990). Genetic parameters and gains expected from selection in *Eucalyptus globulus* in Tasmania. *Silvae Genetica* 39: 18–21.
- Volker, P.W., Owen, J.V. and Borralho, N.M.G. (1994). Genetic variances and covariances for frost tolerance in *Eucalyptus globulus* and *E. nitens. Silvae Genetica* 43: 366–372.
- Walsh, S.K. (1983).* Vegetation of Kingstone Golf Course Wildlife Sanctuary. B.Sc. Research Report. Centre for Education, University of Tasmania, Hobart.
- Wells, P. (1989).* Conservation status of wet eucalypt forest in Tasmania. A report to the Working Group for Forest Conservation. National Parks and Wildlife Service, Tasmania.
- West, P.W. (1979). Date of onset of regrowth dieback and its relation to summer drought in eucalypt forest of southern Tasmania. *Annals of Applied Biology* 93: 337–350.
- West, P.W. (1981).* Comparative growth rates of several eucalypts in mixed-species stands in southern Tasmania. *New Zealand Journal of Forest Science* 11: 45–52.
- West, P.W. (1982). Functions to estimate tree height and bark thickness of Tasmanian regrowth eucalypts. Australian Forestry Research 12: 183–190.
- Whiffin, T. (1981). Analysis of hybridization between *Eucalyptus pauciflora* Sieber ex Spreng. and *E. radiata* Sieber ex DC. (Myrtaceae). *Botanical Journal of the Linnean Society* 83: 237–250.
- Whinam, J. (1990).* A study of the ecology of Tasmanian *Sphagnum* peatlands. Ph.D. thesis, University of Tasmania. Hobart.
- Whinam, J., Eberhard, S., Kirkpatrick, J.B. and Moscal, A. (1989).* *Ecology and Conservation of Sphagnum Peatlands*. Tasmanian Conservation Trust, Hobart.
- Whinray, J.S. (1977).* Some plant records for the Cape Barren wilderness area. *Tasmanian Naturalist* 51: 9–12. Whinray, J.S. (1983).* A report on two parts of the eastern coastal plain of Flinders Island. Unpublished report to National Parks and Wildlife Service, Tasmania.
- Whitham, T.G., Morrow, P.A. and Potts, B.M. (1991). The conservation of hybrid plants. Science 254: 779-780.
- Whitham, T.G., Morrow, P.A. and Potts, B.M. (1994). Plant hybrid zones as centres of biodiversity: The herbivore community of two endemic Tasmanian eucalypts. *Oecologia* 97: 481–490.
- Wilcox, M.D. (1982a).* Preliminary selection of suitable provenances of *Eucalyptus regnans* for New Zealand. *New Zealand Journal of Forestry Science* 12: 468–479.
- Wilcox, M.D. (1982b).* Selection of genetically superior *Eucalyptus regnans* using family tests. *New Zealand Journal of Forestry Science* 12: 480–493.
- Wilkinson, G. and Jennings, S. (1993). Survival and recovery of *Eucalyptus obliqua* regeneration following fire. *Tasforests* 5: 1–11.
- Williams, J. and Ladiges, P.Y. (1985). Morphological variation in Victorian, lowland populations of *Eucalyptus pauciflora* Sieb. ex Spreng. *Proceedings of the Royal Society of Victoria* 97: 31–48.
- Williams, K.J. (1987).* The vegetation of the Southern Forests; a literature review and inventory. Forestry Commission, Tasmania.

- Williams, K.J. (1989).* Dry sclerophyll forest in Tasmania: recommended areas for protection. A report to the Working Group for Forest Conservation, Hobart.
- Williams, K.J. (1990).* Environmental modelling of Tasmanian plant species. Hons thesis, University of Tasmania, Hobart.
- Willis, J.H. (1966).* Flora of the Nut, with a brief account of botanical investigation in the Circular Head District. *Records of the Queen Victoria Museum* 21.
- Willis, J.H. (1972).* Plant list for King Island, Bass Strait. Victorian Naturalist 89: 287–299.
- Willis, J.H. (1991).* Flora of Table Cape. In: *Aspects of Tasmanian Botany—A Tribute to Winifred Curtis* (eds M.R. Banks, S.J. Smith, A.E. Orchard and G. Kantvilas), pp.173–178. Royal Society of Tasmania, Hobart.
- Wiltshire, R.J.E. (1991). Heterochrony and heteroblasty in the *Eucalyptus risdonii* Hook.f./*E. tenuiramis* Miq. complex. Ph.D. thesis, University of Tasmania, Hobart.
- Wiltshire, R.J.E. and Reid, J.B. (1987).* Genetic variation in the spinning gum, *Eucalyptus perriniana* F. Muell. ex Rodway. *Australian Journal of Botany* 35: 33–47.
- Wiltshire, R.J.E. and Reid, J.B. (1992). The pattern of juvenility within *Eucalyptus tenuiramis* Miq. saplings. In: *Mass Production Technology for Genetically Improved Fast Growing Forest Tree Species*, pp. 37–49. AFOCEL–IUFRO Symposium 1992, Bordeaux. Association Forêt-Cellulose, Nangis, France.
- Wiltshire, R.J.E., Potts, B.M. and Reid, J.B. (1991a). A paedomorphocline in *Eucalyptus*: Natural variation in the *E. risdonii/E. tenuiramis* complex. *Australian Journal of Botany* 39: 545–566.
- Wiltshire, R.J.E., Potts, B.M. and Reid, J.B. (1991b).* Phenetic affinities, variability and conservation status of a rare Tasmanian endemic, *Eucalyptus morrisbyi* R.G. Brett. In: *Aspects of Tasmanian Botany—A Tribute to Winifred Curtis* (eds M.R. Banks, S.J. Smith, A.E. Orchard and G. Kantvilas), pp. 213–230. Royal Society of Tasmania, Hobart.
- Wiltshire, R.J.E., Potts, B.M. and Reid, J.B. (1992). A paedomorphocline in *Eucalyptus*: II. Variation in seedling morphology in the *E. risdonii/tenuiramis* complex. *Australian Journal of Botany* 40: 789–805.
- Wiltshire, R.J.E., Potts, B.M., Reid, J.B. and Brown, M.J. (1989). The conservation of endangered eucalypts in Tasmania. Unpublished report to the World Wildlife Fund, Australia.
- Withers, J. and Ashton, D.H. (1977). Studies on the status of unburnt *Eucalyptus* woodland at Ocean Grove, Victoria. I. The structure and regeneration. *Australian Journal of Botany* 25: 623–637.
- Working Group for Forest Conservation (1990). Recommended Areas for Protection of Rainforest, Wet Eucalypt and Dry Sclerophyll Forest in Tasmania. Forestry Commission, Tasmania.

Tasforests